



# Correction to: Ugandan Study Participants Experience Electronic Monitoring of Antiretroviral Therapy Adherence as Welcomed Pressure to Adhere

Jeffrey I. Campbell<sup>1</sup> · Nir Eyal<sup>2</sup> · Angella Musiimenta<sup>3</sup> · Bridget Burns<sup>4</sup> · Sylvia Natukunda<sup>3</sup> · Nicholas Musinguzi<sup>3</sup> · Jessica E. Haberer<sup>4</sup>

Published online: 15 June 2020  
© Springer Science+Business Media, LLC, part of Springer Nature 2020

**Correction to: AIDS and Behavior (2018) 22:3363–3372**  
<https://doi.org/10.1007/s10461-018-2200-8>

The original version of this article unfortunately contained an error. The authors would like to correct the error with this erratum.

In the original publication of the article, the number of “EAM Users” with education level of “University/vocational” in Table 1 is listed as 5 [12.5%], where it should be listed as 3 [7.5%]. The corrected Table 1 is listed below. The correction of this error does not impact the results, interpretation, or message as presented in the published paper.

---

The original article can be found online at <https://doi.org/10.1007/s10461-018-2200-8>.

---

✉ Jeffrey I. Campbell  
[Jeffrey.Campbell@bmc.org](mailto:Jeffrey.Campbell@bmc.org)

<sup>1</sup> Department of Pediatrics, Boston Medical Center, and Boston Children’s Hospital, One Boston Medical Center Pl, Dowling 3rd Floor, Boston, MA 02118, USA

<sup>2</sup> Harvard T.H. Chan School of Public Health, Boston, MA, USA

<sup>3</sup> Mbarara University of Science and Technology, Mbarara, Uganda

<sup>4</sup> Massachusetts General Hospital, Boston, MA, USA